AD	-A21	12 128	DOCUMENTATIO	N PAGE			Form Approved OMB No. 0704-0188	
				16 RESTRICTIVE MARKINGS				
2a. SECURITY CLASSIFICATION AUTHORITY				3 DISTRIBUTION/AVAILABILITY OF REPORT				
Unclassified 2b. DECLASSIFICATION/DOWNGRADING SCHEDULE				Unlimited distribution Approved for public release				
4. PERFORMING ORGANIZATION REPORT NUMBER(S)				5. MONITORING ORGANIZATION REPORT NUMBER(S)				
M61-89								
U.S. Arm	y Research	ORGANIZATION Institute	6b. OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION				
of Environmental Medicine SGRD-UE-HR 6c. ADDRESS (City, State, and ZIP Code)				U.S. Army Medical Research & Development Command 7b. ADDRESS (City, State, and ZIP Code)				
Kansas Street Natick, MA 01760-5007				Fort Detrick, Fredrick, MD 21701-5012				
8a. NAME OF FUNDING / SPONSORING 8b. OFFICE SYMBOL (If applicable)				9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER				
8c. ADDRESS (City, State, and ZIP Code)				10. SOURCE OF FUNDING NUMBERS				
oc. Abbitess (city, state, and 211 code)				PROGRAM PROJECT TASK WORK UNIT				
				ELEMENT NO.	NO.	NO	ACCESSION NO.	
11. TITLE (Include Security Classification) Heat exhaustion					<u> </u>			
12. PERSONA								
		trong, Ph.D.						
13a. TYPE OF REPORT 13b. TIME COVERED 14. DATE OF REPORT (Year, Month, Day) 15. PAGE COUNT manuscript FROM June 89 TO June 89 89 June 30 3								
	ENTARY NOTA	The second secon	10 1011604	89 Julie 30	<u></u>		3	
17.	COSATI	CODES	18. SUBJECT TERMS (T TERMS (Continue on reverse if necessary and identify by block number)				
FIELD	FIELD GROUP SUB-GROUP heat ext			tion, dehydr	ation, flui		ctrolytes.(
<u></u>	 	 	prevention	of heat illness				
19. ABSTRACT	(Continue on	reverse if necessary	and identify by block n	umber)		<u>- </u>		
manusc	ript is wr	itten in an 🗓	common heat illned ask the expert"	format, per	request of	the jo	urnal editor,	
			for the athlete a	•			•	
the signs/symptoms, physiological cause, treatment, and measures which can be taken to prevent heat exhaustion.								
					, i	, £	& Carolina Contraction	
						EL EC		
្រីខ្លួន SEP 0 8 1989 🞉 👍								
The state of the s								
					(I			
	TION / AVAILAB	ILITY OF ABSTRACT	RPT. 🔲 DTIC USERS	21. ABSTRACT SE unclassi		ATION		
22a. NAME O	F RESPONSIBLE	INDIVIDUAL		226 TELEPHONE (Include Area Code			
Lawrence E. Armstrong, Ph.D. (508) 651-4873 SGRD-UE-HR DD Form 1473, JUN 86 Previous editions are obsolete. SECURITY CLASSIFICATION OF THIS PAGE								
$\alpha 0 0 0 \text{ Unclassified } 129$								
			89	40	6 Unc	iassiti	ed (07	
			<u> </u>	f				

Q: What is the most common form of heat illness among athletes? Can it be prevented?

A: Although heatstroke is the third leading cause of death among young athletes, heat exhaustion is observed 8 - 12 times more often than heatstroke, and does not result in death. By definition, heat exhaustion is the "inability to continue exercise in a hot environment", and primarily results from sweat loss and/or inadequate fluid intake. When continuous exercise is performed in a hot environment, skin blood flow (important to the dissipation of heat from skin to the air) decreases and approximately 80 % of cardiac output is pumped to exercising muscles; this results in increased heat storage. When dehydration (especially greater than 3 % of body weight) is superimposed on exercise-heat stress, the cardiovascular system is simply unable to pump sufficient blood to meet all of the body's needs (e.g. skin and muscle). Signs and symptoms of heat exhaustion may include any or all of the following: profuse sweating, "heat sensations" on the head/shoulders/chest, weakness, "rubbery" legs, chills or gooseflesh on the neck and shoulders, anxiety,

irritability, slight confusion, upper body swaying, nausea, vomiting, muscle cramps and fainting. there is doubt about the seriousness of heat illness, patients should be treated as though they have heatstroke (a medical emergency). Treatment for heat exhaustion consists of rest in a cool environment, elevation of legs, pouring cool water on the skin, and replacement of fluids orally (conscious, mild cases) or intravenously (severe cases). Recovery is usually complete within 12 - 48 hours, without further complications. Heat exhaustion may be prevented by proper heat acclimatization; consuming water, electrolytes, and carbohydrates to replace losses; and monitoring ambient conditions (temperature and humidity) to allow practice sessions to be tailored to the environment.

'Suggested Reading

- 1. Armstrong LE. Signs and symptoms of heat exhaustion during strenuous exercise. Annals Sports Med. 3:182-189,1987.
- 2. Callaham ML. <u>Emergency Physician Series. Emergency</u>

 <u>Management of Heat Illness.</u> Chicago: Abbott



. to the total / codes / codes

ton For

Laboratories, 1979.

3. Knochel JP. Dog days and siraisis: how to kill a football player. J. Am. Med. Assoc. 233:513-516,1975.